SKY
IMPLANT SYSTEM

Presentation of the system

Leading in immediate restoration

bredent group

we are

we are One!

bredent group	**One** manufacturer in the field of implantology and prosthetics
bredent medical	**One** of the leaders in immediate restorations
HELBO	**One** bacterial infection control
SKY fast & fixed	**One** session is all it takes
BioHPP SKY elegance	**One** abutment for temporary and final restoration
Dentists, dental technicians, bredent group	**One** team
All patients	**Everyone** is satisfied

Tissue Related Implant Management

Seven implant lines - one instrument kit
The right implant for every bone situation
SKY implant surfaces
SKY implant design for maximum primary stability
SKY implants overview
SKY implant positioning in relation to the bones
SKY surgical protocol
Guided implantology
SKY surgical protocol - guided

Prosthetics

Implant and abutment platforms
Implant connections
Prosthetics overview
Classic implantology
CAD/CAM-manufactured restorations
Immediate and late restoration
Prosthesis fixation

copaSKY

The implant for wide alveolar ridges with low height

miniSKY

The implant for narrow alveolar ridges

whiteSKY

The estheticzirconium implant

Accessories and instruments for the SKY implant lines

Drill
Surgical tools
Prosthetic instruments
Screws
Torques

HELBO® therapy

visio.lign veneer system

Chipping repair kit
Full range bonding kit for all prosthetic materials

Fax order forms
Order information

SKYonics
IMPLANTOLOGY MEETS BIONICS

Use and protect existing bone and soft tissue structures. A patient-oriented implant therapy for the individual tissue situation, with the aim of minimising major surgical procedures and avoiding complex augmentation. Maximum safety for patients and practitioner. Efficient, standardised processes for the practice. The "Tissue Related Implant Management".

More information in the brochure



REF 009913GB

The SKY® Implant System

Seven implant lines – one instrument kit

SKY OP-Tray 100 Basic
REF SKYOT10B

Suitable for thermo-disinfection

A study by the University of Belgrade showed that, when using the SKY drill, only a small amount of heat was generated in the bone.

Source: Marković et al: Heat generation during implant placement in low-density bone: effect of surgical technique, insertion torque and implant macro design. Clin Oral Implants Res. 2013 Jul;24(7):798-805. DOI: 10.1111/j.1600-0501.2012.02460.x. Epub 2012 Apr 2.

Upgrade Kits for the new OP-Tray 100 Basic

① **copaSKY** Upgrade Kit
Drills and instruments
REF COPAUPGK

② **miniSKY** Upgrade Kit
Drills and instruments
REF mSKYUPGK

③ **whiteSKY** Upgrade Kit
Instruments
REF wSKYUPGK

④ **Torque Wrench Pro** Upgrade Kit
Instruments
REF TWreUPGK

The right implant for every bone situation

Slim implants
Ø < 3 mm

Implants with reduced diameter
Ø 3 – 3.5 mm



Initial situation
Following tooth extraction and unloaded (edentulous) jaws, significant bone loss occurs even after a short period of time.











mini¹ SKY 2.8

mini² SKY 2.8

mini² SKY 3.2

narrow SKY

Angled





blue SKY

Short
Length < 8 mm







classic SKY (tissue level)

copa SKY

SKY *osseo connect surface (ocs)*®



The structure of the connective tissue consists of horizontal fibres, which attach themselves to the natural tooth and thereby prevent the build-up of plaque.
The horizontal micro-grooves on the SKY implants also support attachment of the soft tissue so that a type of soft tissue cuff is created to protect the implant.

blue SKY Iso-crestal implant position



Long-term study of blueSKY implants



Source: Deutscher Ärzteverlag | zzl | Z Zahnärzt | Impl | 2017; 33 (2)

Fig: José Eduardo Maté Sánchez de Val

I: Time of the implant
P: Time of the prosthetic restoration
R: Recall after 1 year
R2: Recall after 7 years

Development of the bone level at the time of the examination.

Long-term analysis of the bone stability of an implant system with platform switch and tube in tube connections.

60 single implants:	Restored with SKY esthetic line
Observation period:	7 years
Success rate:	100%
Ø-Bone resorption:	0.5 mm

classic SKY Semi-transgingival implant position



SKY implant design for maximum primary stability

Immediate restoration places particular requirements on an implant system. The design of the SKY Implants and the corresponding surgical protocol ensure high primary stability in all bone qualities and therefore form a reliable basis for immediate restoration.

High level of primary stability =



Conical cylindrical implant shape

- Optimal and uniform load distribution of the chewing forces

Double thread

- Soft and uniform insertion
- No repeated trauma

Self-cutting compression thread

- Bone-preserving

Surgical protocol tailored to bone quality

- Primary stability in every quality of bone

Scientifically proven

A study by Prof. Marković, University of Belgrade, shows that the blueSKY implant is superior in comparison to competitionimplants have a very high primary stability.
It also shows that rapid osseointegration takes place with modern implant surfaces and that no loss of stability occurs after a few weeks. Secure immediate restoration is therefore possible.



Changes to implant stability during the 12-week monitoring period.

Drilling + self-cutting blueSKY implant
Drilling + non-self-cutting competitor implant

Source: Marković et al: Evaluation of primary stability of self-tapping and non-self-tapping dental implants. A 12-week clinical study, Clinical Implant Dentistry and Related Research 2013

Important:
The surgical protocol for the SKY system enables the primary stability of the SKY implants to be increased easily using condensation: See page: 18

Immediate restoration – Improved osseointegration

A study on animals showed that with immediate restoration a better bone implant contact (BIC) is achieved, regardless of the material and surface.



Control group: blueSKY

Test-groups: whiteSKY with different surfaces
Test A - Sandblasted only
Test B - Laser treated

Observation period: 3 months

Model: Animal studies in dogs

BIC = BONE IMPLANT CONTACT

Source: Clio Implant Dent Relat Res: 2014 Dec; 16/6):856-72. doc 10.111/cld 12069. Epub 2013 Apr. 5.
Histologic and histomorphometric behavior of microgrooved zirconia dental implants with immediate loading.

Delgado-Ruiz RA[1]. Calvo-Guirado JL. Abboud M. Ramirez-Fernandez MP. Maté-Sánchez de Val. JE. Negri B. Rothamel D.

SKY implants overview

narrowSKY 3.5 N

NP – Narrow platform

3.5 N	REF
Length 8 mm	nSKY3508
Length 10 mm	nSKY3510
Length 12 mm	nSKY3512
Length 14 mm	nSKY3514
Length 16 mm	nSKY3516

3.5 N

Including a cover screw

blueSKY

RP – Regular platform

4.0	REF
Length 8 mm	bSKY4008
Length 10 mm	bSKY4010
Length 12 mm	bSKY4012
Length 14 mm	bSKY4014
Length 16 mm	bSKY4016

4.0
4.5

Including a cover screw

SKY classic

RP – Regular platform

4.0	REF
Length 8 mm	kSKY4008
Length 10 mm	kSKY4010
Length 12 mm	kSKY4012
Length 14 mm	kSKY4014
Length 16 mm	kSKY4016

4.0
4.5

Including a cover screw

Narrow platform (NP)

NP

Regular platform (RP)

RP

4.5

	REF
Length 8 mm	bSKY4508
Length 10 mm	bSKY4510
Length 12 mm	bSKY4512
Length 14 mm	bSKY4514

5.5

	REF
Length 8 mm	bSKY5508
Length 10 mm	bSKY5510
Length 12 mm	bSKY5512

5.5

Including
a cover screw

4.5

	REF
Length 8 mm	kSKY4508
Length 10 mm	kSKY4510
Length 12 mm	kSKY4512
Length 14 mm	kSKY4514

SKY implant positioning in relation to the bones



Supracrestal Isocrestal



Isocrestal Isocrestal

Indication





Supracrestal and isocrestal implant position



Short implants

The SKY classic implant is ideally suited for flapless implant placement as the long machined neck allows a semi-transgingival implant position without any problems. As a result, milling and levelling of the bone is avoided for narrow and uneven ridges. By supracrestal positioning, the 8mm implant can be used as a „short" implant (see fig. above).

Indication





implant position



Augmented implant site

The coronally structured blueSKY implant, a further development of SKY classic, is intended for positioning flush with the bone. The macro-grooves in the neck area allow bone preservation at a high level. blueSKY can therefore be used very well in conjunction with augmentations.

The diameter-reduced narrowSKY is the narrow version of blueSKY with a diameter of 3.5 mm for narrow gaps.

The ultrashort copaSKY with a conical-parallel implant-abutment connection with a length of 5.2 mm is particularly suitable for wide and flat ridges. It frequently allows to avoid bone reconstruction measures.

Surgical protocol tailored to bone quality

Bone quality from hard to soft

Hard bone

Atraumatic tapping
Prevention of bone overloading during surgery

Medium-hard to soft bone

Bone compression
Achieving primary stability



If the bone quality cannot be definitively assessed, we recommend that the bone is first prepared using the protocol for soft and medium-hard bones.

This procedure ensures that sufficient primary stability is always achieved and that the bone is not overloaded.



Hard bone



Atraumatic tapping thanks to reduced contact area

Medium-hard and soft bone



Apical compression thanks to increased contact area

Consistently high primary stability

SKY Surgical protocol

- Optimised, bone quality-oriented set of instruments and surgical protocol for unsurpassed primary stability
- Drills with detachable drill stops
- Reduction of the number of drills for increased control and dependability during surgery



Detachable drill stops



The detachable drill stops are arranged so that they can be easily taken up with the drill and fastened with one hand thanks to the cavities in the OP-Tray insert. The suitable drill stop can be easily and quickly checked with the ruler on the compartment for small parts (only optional in the new OP-Tray SKY OT-100).
The drilling depth is approx. 0.7 mm greater than the implant length.

classic SKY

white SKY
IMPLANT SYSTEM





With the 3.5 diameter blueSKY and SKY classic implants, the crestal drill is only sunk up to the laser marking.

In the following implants:
- narrowSKY
- blueSKY 4.0 to 5.5
- SKY classic 4.0 to 4.5

the crestal drill is completely inserted.







Crestal drill
300 rpm



SKY Surgical protocol – For very soft bone types

If it is determined during the pilot drilling or drilling with the twist drill that the bone is very soft, the primary stability can be improved by amending the clinical protocol. In these cases, we recommend using the final drill anticlockwise as a condensation instrument:





800-1.000 rpm



800-1.000 rpm



The pilot drill and twist drill are used as described in the SKY surgical protocol.

50 rpm



The final drill is used anticlockwise slowly with cooling. This way, the available bone is compressed and no bone particles are lost.

300 rpm



The crestal drill is used in accordance with the surgical protocol.

SKY Surgical protocol – In cases of excessive torque

The self-cutting compression thread of the SKY implants is suitable for all bone qualities. As a result, a tap is not required. In the hard bone, the torque of 45 Ncm may be exceeded. In such cases we recommend the following procedure:

- Screw implant down to its final position
- Unscrew the implant by one to two turns
- Wait for a short time - approx. 10 seconds
- Screw implant down to its final position again.

The procedure reduces stress to the bone and avoids pressure necrosis.

Torque for implant insertion > 45 Ncm.

Direction of rotation



Unscrew the implant by 1 to 2 turns.

360° - 720°



Screw implant down to its final position again.



Literature:

Neugebauer J. Habilitationsschrift: Design- und Behandlungsparameter für die erfolgreiche Sofortversorgung von Zahnimplantaten. Universität Köln 2009.

SKY Surgical protocol

Removing and screwing in the implant and the cover screw without changing instruments.

- blueSKY, narrowSKY and SKY classic are packed as double sterile
- The implant support is colour-coded and marked with the length details
- The implant can be removed immediately after opening the sterile films using the SKY TK long or short insertion instrument and screwed in
- The same instrument is used to remove the cover screw and to screw it into the implant.



Open the new double sterile packaging. Remove the implant with the insertion instrument for the ratchet or the contra-angle.

The conical Torx® allows to hold the implant safely.



The implant is inserted and can be screwed in immediately.



The cover screw can be removed using the same instrument.

The cover screw is held securely by the cone.



Screw the screw directly into the implant. The smooth cone ensures that the screw only needs to be slightly tightened and cannot become jammed. Recommended max. torque: 10 Ncm.

Guided implantology

The data for the SKY implant systems are recorded in the following planning programs: (As of: I/2018).
The scope of the recorded components is dependent upon the relevant options in the planning program.
If you do not find your program in the list, please contact us. so that we can make our data available to the manufacturer of your program for updating.

Company	Software
3D Diagnostix Inc.	Osseoview
3DIEMME®	3Diagnosys
3Shape	3Shape Implant Studio™
Anatomage	Invivo
Carestream Dental	Carestream 3D Imaging
Cybermed / KAVO	In2Guide™
Dentsply Sirona	Simplant
Dental Wings	coDiagnostiX™
exocad	exoPlan SurgicalGuide
Morita	i-Dixel
myRay	iRYS
NEMOTEC	NemoScan
NewTom	NNT
PLANMECA	Romexis®
Schütz	Implant-3D
SIRONA	SICAT/Galileos Implant
Swissmeda	SMOP
UniGuide Dental	Accu Guide
Vatech	Ez3D Plus
Zfx GmbH	Zfx Navigator

coDiagnostiX™

bredent is a distribution partner of Dental Wings for the coDiagnostiX™ 3D implant planning software.

coDiagnostiX™–
Client Version
REF codx1100

coDiagnostiX™ –
Producer Version
REF codx1000

SKY surgical protocol – guided

Optimised, bone quality-oriented set of instruments and surgical protocol for unsurpassed primary stability









SKYplanX
Crestal drill

Crestal drill



Drilling depth – Crestal drill

Drill length	Implant length L8	L10	L12	L14	L16
L20	K4	K3	K2	K1	–
L24	L2	L1	K4	K3	K2
L28	L4	L3	L2	L1	K4

Insertion instruments

O-ring position



Implant length



SKY surgical protocol – guided



Guiding sleeves

REF	SXBHM453	SXBHM555
Description	SKYplanX guiding sleeve 4.53	SKYplanX guiding sleeve 5.55
piece	5	5
Colour	silver	silver
Internal Ø / mm	4.53	5.55
External Ø / mm	5.5	6.5
Length / mm	10	10
Can be cut to size: to 6 mm	✔	✔
Material	Titanium	Titanium
Implant Ø	3.5/4.0	4.5
narrowSKY	✔	
blueSKY / SKY classic	✔	✔

Internal sleeves for twist drill

REF	SXBHI239
Description	Internal sleeve for pilot drill
piece	5
Colour	green
Internal Ø / mm	2.39
External Ø / mm	4.51
Length / mm	10
Can be cut to size: to 6 mm	✔
Material	Titanium
Guiding sleeve	SXBHM453
Implant Ø	3.5 / 4.0 / 4.5
narrowSKY	✔
blueSKY / SKY classic	✔

Sleeves for drills for medium/soft bone

REF	SXBHI309	SXBHI359	SXBHI409
Description	Internal sleeve Final drill 3.06	Internal sleeve Final drill 3.56	Internal sleeve Final drill 4.06
piece	5	5	5
Colour	yellow	pink	grey
Internal Ø / mm	3.09	3.59	4.09
External Ø / mm	4.51	4.51	4.52
Length / mm	10	10	10
Can be cut to size: to 6 mm	✔	✔	✔
Material	Titanium	Titanium	Titanium
Guiding sleeve	SXBHM453	SXBHM453	SXBHM555
Implant Ø	3.5	4.0	4.5
narrowSKY	✔		
blueSKY / SKY classic	✔	✔	✔

Sleeves for drills for hard bone

REF	SXBHI333	SXBHI383	SXBHI433
Description	Internal sleeve Final drill 3.30	Internal sleeve Final drill 3.80	Internal sleeve Final drill 4.30
piece	5	5	5
Colour	gold	blue	brown
Internal Ø / mm	3.33	3.83	4.33
External Ø / mm	4.51	4.51	4.52
Length / mm	10	10	10
Can be cut to size: to 6 mm	✔	✔	✔
Material	Titanium	Titanium	Titanium
Guiding sleeve	SXBHM453	SXBHM453	SXBHM555
Implant Ø	3.5	4.0	4.5
narrowSKY	✔		
blueSKY / SKY classic	✔	✔	✔

SKYplanX selection box

REF SXBHSET1

6 x SXBHM453	Guiding sleeve
3 x SXBHM555	Guiding sleeve, large
3 x SXBHI239	Sleeve for pilot drill
3 x SXBHI309	Internal sleeve for final drill 3.06
3 x SXBHI333	Internal sleeve for final drill 3.30
3 x SXBHI359	Internal sleeve for final drill 3.56
3 x SXBHI383	Internal sleeve for final drill 3.80
3 x SXBHI409	Internal sleeve for final drill 4.06
3 x SXBHI433	Internal sleeve for final drill 4.30

SKYplanX
Short tool for drill sleeves
1 piece
REF SplanX45

SKY surgical protocol – guided

SKYplanX OP tray
REF SplanX91

SKYplanX pilot drill

Ø	Length mm	REF
2,35 mm	20	DP20D235
2,35 mm	24	DP24D235
2,35 mm	28	DP28D235

3.5 N

SKYplanX final drill for hard bone

Ø	Length mm	REF
3.30 mm 3.5 3.5 N	20	D120D330
3.80 mm 4.0	20	D120D380
4.30 mm 4.5	20	D120D430
3.30 mm 3.5	24	D124D330
3.80 mm 4.0	24	D124D380
4.30 mm 4.5	24	D124D430
3.30 mm 3.5	28	D128D330
3.80 mm 4.0	28	D128D380
4.30 mm 4.5	28	D128D430

SKYplanX final drill for medium and soft bone

Ø	Length mm	REF
3.06 mm 3.5 3.5 N	20	D320D306
3.56 mm 4.0	20	D320D356
4.06 mm 4.5	20	D320D406
3.06 mm 3.5	24	D324D306
3.56 mm 4.0	24	D324D356
4.06 mm 4.5	24	D324D406
3.06 mm 3.5	28	D328D306
3.56 mm 4.0	28	D328D356
4.06 mm 4.5	28	D328D406

Crestal drill

Ø	Length mm	REF
3.6 mm 3.5 N	20	DCN35L20
4.1 mm 3.5	20	DCR35L20
4.1 mm 4.0	20	DCR40L20
4.6 mm 4.5	20	DCR45L20
3.6 mm 3.5 N	28	DCN35L28
4.1 mm 3.5	28	DCR35L28
4.1 mm 4.0	28	DCR40L28
4.6 mm 4.5	28	DCR45L28

SKY mounting set for guided implantology
REF SKYSMSET

The insertion instrument is screwed in for a secure and precise connection with the implant.
The flexible O ring yields a little when it reaches the drill sleeve shoulder and therefore counteracts damage to the implant bed in the event that the implant is screwed in further.

Contents:
1 x SKY mounter, extra short REF SKY-STK1
1 x SKYplanX insertion instrument for guiding sleeve 4.53 REF SKYSM453
1 x SKYplanX insertion instrument for guiding sleeve 5.55 REF SKYSM555

SKY prosthetics

- Implant and abutment platforms
- Implant connections
- Prosthetics overview
- Classic implantology
  - Implant analogue
  - SKY esthetic line
  - SKY esthetic gingiva former
  - SKY impression abutments
  - SKY esthetic line temporary abutments
  - SKY esthetic line titanium abutments
  - SKY standard line titanium abutments
  - SKY castable abutment
- CAD/CAM-manufactured restorations
  - SKY uni.fit scan abutments
  - SKY uni.fit titanium base
  - SKY prefab titanium
  - SKY uni.fit titanium base S for CEREC®
- Immediate and late restoration
  - SKY elegance overview
  - SKY elegance abutments
  - SKY elegance prefabs
  - SKY elegance titanium base
  - SKY fast & fixed – overview
  - SKY fast & fixed – components
  - SKY fast & fixed – accessories
- Prosthesis fixation
  - SKY TiSi.snap
  - SKY Locator®

Number of treatment steps – implant treatments

	Classic implantol-ogy	Immediate restoration		Implant insertion
		Temporary + Permanent	Permanent	
Implant planning	X	X	X	X
Implant surgery	X	X	X	X
Implant control	X	X	X	X
Implant opening	X			X
Modelling	X	X		
Esthetic try-in	(X)			
Permanent restoration	X	X		

Surgical procedure

Implant is restored

Implant restoration is now an established treatment for tooth loss, however the conventional bridge on ground teeth is still the standard restoration.
The reason for this is:

- The higher cost of an implant restoration
- The longer treatment duration with several visits to the practice in the case of classic implantology
- Anxiety towards surgical procedures

The correct implant selection makes it possible to optimally utilise the local bone and thus avoid further surgical interventions. Due to the immediate treatment, the treatment time can also be shortened so that the entire treatment can be offered at a more favourable price, without having to reduce the fee for the treatment.



The deciding criteria as to whether immediate restoration is possible is the primary stability of the implants. If the primary stability is over 30 Ncm, immediate restoration should be carried out, as this stimulates the bone and promotes healing.
If the primary stability is under 30 Ncm, we recommend modelling the implant position during the operation and inserting the permanent restoration into the opening. This way, the treatment time is significantly shortened [1].

[1] *Literature:*
Deutsche Zahnärztliche Zeitschrift [The German Dental Journal] 2014; 69 (6)
F. Beuer et al.: The Munich Implant Concept (MIC): a combination of intraoral scannin device and digital fabriction.



The One-time therapy with SKY elegance leads to significant savings in material and treatment time compared to conventional workflows. As a result, the entire implant therapy can be offered at more favourable price without the dentist's fee being reduced.

Implant and abutment platforms

bredent medical SKY Implant system

The SKY System is designed so that the number of prefabricated components is kept to a minimum.
For all indications which cannot be restored using these components, there are various custom solutions available.

Low number of prefabricated components ⟷ **Custom solutions**

blueSKY and SKY classic
have a platform switch



Implant connections



All SKY Implants have a Torx® connection.

If screws and screw joints are involved. The Torx® is the gold standard in mechanical engineering and the automotive industry and in implant dentistry as well.



Torx®: has six large force transfer surfaces

- significantly higher torques for the same force applied
- easier insertion of the implant
- no damage to the internal geometry at a high torque either



Connection with self-retaining cone

- No definitive vertical abutment height
- Height difference between laboratory and clinic
- Passive fit of bridge constructions very difficult

Conical connection
Flat connection



Flat connections (SKY System)

- **Defined** abutment height
- Passive-fit of bridge and bar restorations easier to achieve

Owing to the normal position and the R variants, there are 12 positions for the orientation of the angled abutments. Therefore, the abutment can be oriented to the best position in the laboratory after the operation.



SKY abutment selection set

With the help of the SKY abutment selection set, the appropriate abutments with the correct orientation can be elected simply and quickly in the laboratory.

SKY abutment selection set
REF SKYASET9

Prosthetics overview

For narrowSKY approved prosthetic components
rose gold anodised

Prosthetic components not suitable or
not approved for narrowSKY

Immediate restoration

BioHPP SKY elegance
Immediate restoration

BioHPP SKY elegance
titanium base

BioHPP SKY elegance
prefab set

SKY uni.cone



SKY fast & fixed



Individual solutions for CAD/CAM

SKY uni.fit CAD/CAM solutions / Custom abutments

SKY prefab titanuim



conventional

SKY castable abutment



Implant analog

SKY-IA40

SKY abutment selection set

SKYASET9

SKY temp

SKYTEMPS SKYTEMPM SKYTEMPL

SKY impression abutments



SKYnPAS2 SKYnPAM2 SKYnPAL2 SKYnPAKA

SKYnPAS1 SKYnPAM1 SKYnPAL1

SKY esthetic gingiva former

SKYESG02 SKYESG03 SKYESG04 SKYESG06

SKYEMG02 SKYEMG03 SKYEMG04 SKYEMG06 SKYELG02 SKYELG03 SKYELG04

SKY esthetic abutments

SKYnES00 SKYnES15 SKYnES16

SKY-EM00 SKY-EM15 SKY-EM16 SKY-EL00

SKY titanuim abutments

SKYnPO00 SKYnPO15 SKYnPO16 SKYnPO25 SKYnPO26

SKY prosthesis fixation

SKY Locator

LOCZAB01 LOCZAB02 LOCZAB03 LOCZAB04 LOCZAB06

SKY Locator anglet



LOCAB172 LOCAB352

SKY Locator



2 Sets LOCLAB10 2 Sets LOCLAB20

TiSi.snap

TISI0Y31 TISI0Y51 TISI0Y53

TiSi.snap anglet

TISIAY17 TISIAY35

retention.sil

580RTSET

Implant analog



For pre-fabricated and custom solutions.

Just a single implant analog for all prosthetic restorations on implant level, independent of the implant platform. The implant analog is made of titanium to enable both the laboratory and the clinic/surgeon to use the same material.



REF	**SKY-IA40**
Description	SKY implant analogue
piece	1
Height/mm	14
Shoulder Ø / mm	4
Material	Ti*
Laboratory screw	incl.
SKY prosthetic key	✔
Torque/Ncm	25
Platform	regular
narrowSKY	✔
blueSKY / SKY classic	✔

Ti*=
Grade 4 KV titanium

SKY esthetic line



SKY esthetic line:

- Three diameters of the abutment shoulder:
  - S: 4.5 mm
  - M: 5.5 mm
  - L: 7.0 mm
- Narrow platform
  - Suitable for narrowSKY
  - Platform switch with blueSKY and SKY classic
- A concave and convex abutment shape in the gingival region ensures optimal attachment of the soft tissue
- Customisable axis compensation of up to 20°
- Particularly suitable for custom transverse screw fixation

SKY esthetic line M



All components in the SKY esthetic line are matched to one another:
Corresponding concave and convex sulcus shape.
Also available for abutment shoulders with S and L diameters.

SKY esthetic gingiva former

The SKY esthetic gingiva former gives the emergence profile the optimum shape for the subsequent use of the corresponding SKY esthetic abutments.



REF	SKYESG02	SKYESG03	SKYESG04	SKYESG06
Description	SKY aesthetic gingiva former S	SKY aesthetic gingiva former S	SKY aesthetic gingiva former S	SKY aesthetic gingiva former S
Shoulder height / mm	2.3	3	4	6
piece	1	1	1	1
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	4.33	4.50	4.50	4.50
Material	Ti*	Ti*	Ti*	Ti*
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	10	10	10	10
Platform	narrow	narrow	narrow	narrow
narrowSKY	✔	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔	✔



REF	SKYEMG02	SKYEMG03	SKYEMG04	SKYEMG06
Description	SKY aesthetic gingiva former M	SKY aesthetic gingiva former M	SKY aesthetic gingiva former M	SKY aesthetic gingiva former M
Shoulder height / mm	2	3	4	6
piece	1	1	1	1
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	4.97	4.45	5.50	5.50
Material	Ti*	Ti*	Ti*	Ti*
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	10	10	10	10
Platform	regular	regular	regular	regular
narrowSKY	-	-	-	-
blueSKY / SKY classic	✔	✔	✔	✔



REF	SKYELG02	SKYELG03	SKYELG04
Description	SKY aesthetic gingiva former L	SKY aesthetic gingiva former L	SKY aesthetic gingiva former L
Shoulder height / mm	2	3	4
piece	1	1	1
Angulation	0°	0°	0°
Shoulder Ø / mm	6.26	6.95	7.00
Material	Ti*	Ti*	Ti*
SKY prosthetic key	✔	✔	✔
Torque/Ncm	10	10	10
Platform	regular	regular	regular
narrowSKY	-	-	-
blueSKY / SKY classic	✔	✔	✔

Ti*=
Grade 4 KV titanium

SKY impression abutments



Open modelling



REF	SKYnPAS1	SKYnPAM1	SKYnPAL1
Description	SKY impression abutment S open tray NP	SKY impression abutment M open tray NP	SKY impression abutment L open tray NP
piece	1	1	1
Angulation	0°	0°	0°
Shoulder Ø / mm	4.5	5.5	7.0
Abutment height / mm	11	11	11
Height incl. screw / mm	18,8	18,8	18,8
Length of Torx®	1.2	1.2	1.2
Material	Ti*	Ti*	Ti*
Trapped screw	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔
Torque/Ncm	10	10	10
Platform	narrow	narrow	narrow
narrowSKY	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔

Closed modelling



REF	SKYnPAS2	SKYnPAM2	SKYnPAL2	SKYnPAKA
Description	SKY impression abutment S closed tray NP	SKY impression abutment M closed tray NP	SKY impression abutment L closed tray NP	SKY impression coping, S, M, L closed tray
piece	1	1	1	1
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	4.5	5.5	7.0	4.5
Abutment height / mm	9	9	9	4.5
Length of Torx®	3.5	3.5	3.5	-
Material	Ti*	Ti*	Ti*	-
Trapped screw	incl.	incl.	incl.	-
SKY prosthetic key	✔	✔	✔	-
Torque/Ncm	10	10	10	-
Platform	narrow	narrow	narrow	S, M, L
narrowSKY	✔	✔	✔	-
blueSKY / SKY classic	✔	✔	✔	-

Ti*=
Grade 4 KV titanium

SKY esthetic line temporary abutments

SKY temp is a purely plastic abutment and is therefore suitable for temporary restoration for a maximum of 6 months. There is a risk of loosening of the screws if it is used for longer periods.

SKY temp as a custom gingiva former
The shortened and customised SKY temp can also be quickly adapted into a custom gingiva former, either chairside or in the laboratory.



REF	SKYTEMPS	SKYTEMPM	SKYTEMPL
Description	SKY temp S abutment	SKY temp M abutment	SKY temp L abutment
piece	1	1	1
Angulation	0°	0°	0°
Shoulder Ø / mm	4.1	5.5	7.0
Shoulder height / mm	2.0	3.0	3.75
Height / mm	9.0	9.0	9.0
Material	POM	POM	POM
2.2 screw	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔
Torque/Ncm	18	18	18
Platform	regular	regular	regular
narrowSKY	-	-	-
blueSKY / SKY classic	✔	✔	✔

SKY esthetic line titanium abutments

The concave and convex shape of the SKY esthetic abutments allows the dental technician to customise them to a large extent, and gives the gingiva a lot of space for attachment.



REF	SKYnES00	SKY-EM00	SKY-EL00
Description	SKY esthetic abutment S 0°	SKY esthetic abutment M 0°	SKY esthetic abutment L 0°
piece	1	1	1
Angulation	0°	0°	0°
Torx® alignment	Standard	Standard	Standard
Shoulder Ø / mm	4.5	5.5	7.0
Shoulder height / mm	3.0	3.0	3.0
Height / mm	9.0	9.0	9.0
Material	Ti*	Ti*	Ti*
2.2 screw	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔
Torque/Ncm	25	25	25
Platform	narrow	narrow	narrow
narrowSKY	✔	-	-
blueSKY / SKY classic	✔	✔	✔

Ti*=
Grade 4 KV titanium





REF	SKYnES15	SKYnES16	SKY-EM15	SKY-EM16
Description	SKY esthetic abutment S 15°	SKY esthetic abutment S 15° R	SKY esthetic abutment M 15°	SKY esthetic abutment M 15° R
piece	1	1	1	1
Angulation	15°	15°	15°	15°
Torx® alignment	Standard	R = turned by 30°	Standard	R = turned by 30°
Shoulder Ø / mm	4.5	4.5	5.5	5.5
Shoulder height / mm	3.0	3.0	3.0	3.0
Height / mm	9.0	9.0	9.0	9.0
Material	Ti*	Ti*	Ti*	Ti*
2.2 screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	25	25	25	25
Platform	narrow	narrow	narrow	narrow
narrowSKY	✔	✔	-	-
blueSKY / SKY classic	✔	✔	✔	✔

SKY standard line titanium abutments

The SKY standard line that has proven itself for years for cost-effective prosthetics, now new with narrow platform.

- You can now also restore using narrowSKY
- blueSKY and SKY classic now have a platform switch





REF	SKYnPO00
Description	SKY titanium abutment NP 0°
piece	1
Angulation	0°
Torx® alignment	Standard
Shoulder Ø / mm	4.5
Shoulder height / mm	1.4
Height / mm	10.0
Material	Ti*
2.2 screw	incl.
SKY prosthetic key	✔
Torque/Ncm	25
Platform	narrow
narrowSKY	✔
blueSKY / SKY classic	✔

Ti*=
Grade 4 KV titanium





REF	SKYnPO15	SKYnPO16	SKYnPO25	SKYnPO26
Description	SKY titanium abutment NP 15°	SKY titanium abutment NP 15° R	SKY titanium abutment NP 25°	SKY titanium abutment NP 25° R
piece	1	1	1	1
Angulation	15°	15°	25°	25°
Torx® alignment	Standard	R = turned by 30°	Standard	R = turned by 30°
Shoulder Ø / mm	4.5	4.5	4.5	4.5
Shoulder height / mm	0.5	0.5	0.5	0.5
Height / mm	10.0	10.0	10.0	10.0
Material	Ti*	Ti*	Ti*	Ti*
2.2 screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	25	25	25	25
Platform	narrow	narrow	narrow	narrow
narrowSKY	✔	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔	✔

SKY abutment cast-on

With cast-on abutments, difficult individual clinical situations can also be easily handled from a prosthetic point of view.

This is held securely by screwing the sleeve onto the metal base, so as to facilitate quick and reliable modelling of the custom abutment. The burn-out plastic sleeve is provided already mounted.



REF	**SKYnPV00**
Description	SKY abutment NP cast-on
piece	1
Angulation	0°
Shoulder Ø / mm	4.5
Shoulder height / mm	3.5
Sleeve height / mm	9.5
Sleeve material	PMMA
Base height	2.7
Base material	Au 60%, Pd 20%, Pt 19%, Ir 1%
Melting range	1400 - 1490°C
CTE	11.9 - 12.2 $10^{-6}K^{-1}$
Weight	0.63 g
2.2 screw	incl.
SKY prosthetic key	✔
Torque/Ncm	25
Platform	narrow
narrowSKY	✔
blueSKY / SKY classic	✔

SKY prosthetics

Implant and abutment platforms

Implant connections

Prosthetics overview

Classic implantology
- Implant analogue
- SKY esthetic line
- SKY esthetic gingiva former
- SKY impression abutments
- SKY esthetic line temporary abutments
- SKY esthetic line titanium abutments
- SKY standard line titanium abutments
- SKY castable abutment

CAD/CAM-manufactured restorations
- SKY uni.fit scan abutments
- SKY uni.fit titanium base
- SKY prefab titanium
- SKY uni.fit titanium base S for CEREC®

Immediate and late restoration
- SKY elegance overview
- SKY elegance abutments
- SKY elegance prefabs
- SKY elegance titanium base
- SKY fast & fixed – overview
- SKY fast & fixed – components
- SKY fast & fixed – accessories

Prosthesis fixation
- SKY TiSi.snap
- SKY Locator®

SKY uni.fit Scan abutments



Scan abutments
The position and orientation of the implant is transferred to the virtual model using a three-point reference system.

All SKY uni.fit components are recorded in the CAD programs:
- exocad
- 3shape
- Dental Wings

Download: www.caelo-dental.net





REF	SKYUSCAE	SKYUSCAI
Description	SKY uni.fit scan abutment Extraoral	SKY uni.fit scan abutment Intraoral
piece	1	1
Angulation	0°	0°
Shoulder Ø / mm	5.8	4.1
Height/mm	13.5	7.5
Material	PEEK	PEEK
2.2 screw	incl.	incl.
SKY prosthetic key	✔	✔
Torque/Ncm	10	10
Platform	narrow	narrow
narrowSKY	✔	✔
blueSKY / SKY classic	✔	✔
CAD library for: (www.caelo-dental.net)	exocad 3shape Dental Wings	exocad 3shape Dental Wings

SKY uni.fit CAD abutment

The geometry of the SKY uni.fit CAD abutments is such that the custom ceramic structure can be milled to create a perfect fit.

The space for excess adhesive facilitates bonding.







REF	SKYUFCAD	UFCADMOD
Description	SKY uni.fit CAD abutment	Modelling cap
piece	1	10
Angulation	0°	0°
Shoulder Ø / mm	2.9/3.2	3.8
Height/mm	3.8	10
Material	Ti*	PMMA
2.2 screw	incl.	excl.
SKY prosthetic key	✔	✔
Torque/Ncm	25	10
Platform	narrow	narrow
narrowSKY	✔	✔
blueSKY / SKY classic	✔	✔
CAD library for: (www.caelo-dental.net)	exocad 3shape Dental Wings	-

Ti*=
Grade 4 KV titanium

SKY prefab titanium

Information for processing:

- SKY prefab titanium is recorded in the following CAD libraries:
  - 3shape
  - Dental Wings
  - exocad

  Download at: www.bredent-medical.com (CAD library)
- The SKY prefab titanium is held in the Medentika holder
- If the SKY prefab cannot be controlled by the CAM, the Medentika workflow is then used.
  - Scanning the implant position with the Medentika scan abutment
  - Clamping the SKY prefabs titanium in the R position

REF	**SKYPFTST**
Description	SKY prefab titanium set
piece	1
Angulation	0°
Ø / mm	11.5
Height/mm	20
Material	Ti*
2.2 screw	incl. in the original packaging
SKY prosthetic key	✔
Torque/Ncm	25
Platform	narrow
narrowSKY	✔
blueSKY / SKY classic	✔
Connector geometry	Medentika holder

Ti*=
Grade 4 KV titanium

BioHPP prefab
see page 50

SKY uni.fit titanium base for CEREC®





The SKY uni.fit titanium base for CEREC® combines the SKY Implant abutment connection with the abutment geometry of the CEREC® TiBase S. It is therefore possible to produce custom abutments for restoration with SKY Implants using the CEREC® system.

The SKY uni.fit titanium base for CEREC® combines the SKY Implant abutment connection with the abutment geometry of the CEREC® TiBase S. It is therefore possible to produce custom abutments for restoration with SKY Implants using the CEREC® system.

- The implant position is scanned using the original Sirona® scan bodies:
  - Scan bodies for Bluecam® S, 36 pieces **REF 6431295**
  - Scan bodies for Omnicam® S, 36 pieces **REF 6431311**
- For construction in the CEREC® software, a suitable implant is selected from the library, e.g. Camlog® 3.8.
- All CEREC® blocks with the S geometry can be used for this process.
- The subsequent bonding is carried out according to the manufacturer's instructions.



REF	SKYUFCTB	SKYUFCSB
Description	SKY uni.fit titanium base S for CEREC®	SKY uni.fit scan base S for CEREC®
piece	1	1
Angulation	0°	0°
Ø / mm	2.99	2.99
Total height / mm	5.0	10.2
Gingiva height / mm	0.3	5.5
Material	Ti*	Ti*
2.2 screw	incl.	incl.
SKY prosthetic key	✔	✔
Torque/Ncm	25	10
Platform	narrow	narrow
narrowSKY	✔	✔
blueSKY / SKY classic	✔	✔

Ti*=
Grade 4 KV titanium

SKY prosthetics

Implant and abutment platforms

Implant connections

Prosthetics overview

Classic implantology
- Implant analogue
- SKY esthetic line
- SKY esthetic gingiva former
- SKY impression abutments
- SKY esthetic line temporary abutments
- SKY esthetic line titanium abutments
- SKY standard line titanium abutments
- SKY castable abutment

CAD/CAM-manufactured restorations
- SKY uni.fit scan abutments
- SKY uni.fit titanium base
- SKY prefab titanium
- SKY uni.fit titanium base S for CEREC®

Immediate and late restoration
- SKY elegance overview
- SKY elegance abutments
- SKY elegance prefabs
- SKY elegance titanium base
- SKY fast & fixed – overview
- SKY fast & fixed – components
- SKY fast & fixed – accessories

Prosthesis fixation
- SKY TiSi.snap
- SKY Locator®

SKY elegance overview

The BioHPP SKY elegance abutments are a new type of abutment that combine the properties of a temporary and a permanent abutment. This reduces costs and treatment time and the gingiva is spared.

- The elasticity of the BioHPP body protects the implant during healing
- The seat of the screw made in titanium ensures long-term, stable connection of the abutment to the implant

They are therefore ideal for one-time treatment without changing the abutment in immediate restoration. These abutments can of course also be used in late restoration. The elasticity of bredent's BioHPP® bionic material protects the implant against overloading in the long term.

Pre-fabricated abutments

Pre-fabricated abutments
The pre-fabricated BioHPP SKY elegance abutments are universal abutments in the shape of the SKY esthetic line and can be used both with CAD/CAM-manufactured crowns and bridges, e.g. CEREC, as well as conventionally-manufactured crowns and bridges.

Individual abutments

Laboratory-manufactured individual abutments
Each laboratory is capable of producing a custom abutment based on the BioHPP SKY elegance Titan using the bredent *for*2press device, without the need for any major investment .

CAD/CAM-manufactured individual abutments
With suitable CAD/CAM systems, an individual abutment can be manufactured using the BioHPP SKY elegance prefab. The titanium base is injected already gap-free in the pre-fab.

SKY elegance abutments

For intraoral processing, we recommend Komet:

REF H379Q314023



REF H375RQ314016

The BioHPP SKY elegance abutments are hybrid abutments in which the abutment body amade of BioHPP is connected to the titanium base without a gap. These abutments are recommended for the so-called "One-Time Therapy", because they combine the characteristics of a temporary and a permanent abutment, which means an abutment change is not necessary. As a result, the gingiva is not subjected to multiple traumas. In addition, the time and costs are reduced.
BioHPP can be ground in the mouth as easily as dentine using carbide milling tools.

For extraoral processing, we recommend the bredent cutter set SKY elegance
REF 580ELEM8







REF	SKYEES00	SKYEES15	SKYEEM00	SKYEEM15	SKYEEL00
Description	BioHPP SKY elegance S abutment 0°	BioHPP SKY elegance S abutment 15°	BioHPP SKY elegance M abutment 0°	BioHPP SKY elegance M abutment 15°	BioHPP SKY elegance L abutment 0°
piece	1	1	1	1	1
Angulation	0°	15°	0°	15°	0°
Shoulder Ø / mm	4.5	4.5	5.5	5.5	7.0
Shoulder height / mm	3.4	3.4	3.4	3.3	3.4
Height / mm	9.0	9.0	9.0	9.0	9.0
Body material	BioHPP	BioHPP	BioHPP	BioHPP	BioHPP
Base material	Ti*	Ti*	Ti*	Ti*	Ti*
2.2 screw	incl.	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔	✔
Torque/Ncm	25	25	25	25	25
Platform	narrow	narrow	narrow	narrow	narrow
narrowSKY	✔	✔	-	-	-
blueSKY / SKY classic	✔	✔	✔	✔	✔

Ti*=
Grade 4 KV titanium

BioHPP SKY elegance prefab



With the BioHPP SKY elegance prefab, the abutment body made of BioHPP is pressed onto the BioHPP SKY elegance titanium base without a gap and forms a perfect mechanical connection. The required tooth shape for the custom abutment is designed in CAD software and the corresponding data set is passed on to the machine manufacturing stage.

For CAD/CAM production

REF	SKYEPFST
Description	BioHPP SKY elegance prefab
piece	1
Angulation	0°
Ø / mm	12.0
Height / mm	16.0
Connection	Sirona® Standard
Base material	Ti*
Material construction	BioHPP
Color construction	dentin-shade
X-ray opaque	✔
Screw2,2	incl. Original packaging
SKY prosthetic key	✔
Torque / Ncm	25
Platform	narrow
narrowSKY	✔
blueSKY / SKY classic	✔

Ti*= Grade 4 KV titanium

BioHPP SKY elegance titanium base



A custom abutment in a natural tooth shape is modelled on the BioHPP SKY elegance titanium base (sand-blasted by the technician). It is then embedded and remoulded with BioHPP in the *for*2press device.
This custom BioHPP abutment can then be directly veneered with the visio.lign veneer system to form a crown abutment or can be restored using a crown or a bridge.

For individual abutments or crown abutments in the region of the side teeth, the reinforced BioHPP SKY elegance titanium base ML is used.

Conventional production



REF	SKYETB00	SKYETBML
Description	BioHPP SKY elegance titanium base	BioHPP SKY elegance titanium base ML
piece	1	1
Indication	Front tooth area	Range of teeth
Angulation	0°	0°
Ø / mm	3.1	3.5
Hight / mm	5.8	5.8
Material	Ti*	Ti*
Screw 2.2	incl.	incl.
SKY prosthetic key	✔	✔
Torque / Ncm	25	25
Platform	narrow	narrow
narrowSKY	✔	
blueSKY / SKY classic	✔	✔

Ti*=
Grade 4 KV titanium

SKY fast & fixed – overview

SKY fast & fixed
Immediate restoration for potentially edentulous jaws

- Reduced number of implants
- No extensive surgical procedures such as augmentations
- Standardised work steps make the work easier
- Reduction and prevention of errors and complications
- In most cases, immediate fixed temporary bridges after only one procedure
- At an affordable price



SKY fast & fixed / SKY uni.cone

- One-time treatment – no change of abutment required
- Two shoulder diameters:
  - SKY fast & fixed: 5.65 mm
  - SKY uni.cone: 4.5 mm
- Two types of screwing:
  - Occlusally screwed
  - Transversally screwed



SKY fast & fixed / SKY uni.cone modelling

- Modelling at abutment level
  - Abutment does not need to be removed



Divergence compensation using an outer cone

By using a 17.5° outer cone for SKY fast & fixed abutments, compensation with divergent implants is possible. Maximum compensation here is 35°, however we recommend not exceeding the following angulations for biomechanical reasons.







SKY fast & fixed / SKY uni.cone transversal screwing

Self-centering transversal screw retention

The thread for the bolt screw is located in the bridge framework. The bolt screw (A) and the cylindrical surfaces (B and C) form a compact unit. The prosthetic coping is fixed by triple point attachment with the bolt screw (A) and the short cylindrical surfaces (B and C) to avoid tilting. At the same time, the short cylindrical surfaces ensure that the coping is self-centered (passive fit) when it is placed on. Thanks to the slightly inclined position of the bolt screw, the prosthetic coping is pressed on the abutment platform and gap formation is avoided when it is tightened.

Simple application

Using the pre-fabricated transversal screwing is very simple:

- because the screw always remains in the secondary structure, therefore threading is not necessary.
- because only a few rotations are required to fix or loosen the restoration.
- because the precision groove running all the way around enables a high degree of freedom when designing the access to the screw.

Combinable SKY fast & fixed and SKY uni.cone

SKY fast & fixed abutments with narrow Platform for
- blueSKY
- SKY classic

Gingiva height in mm



SKY uni.cone abutments with narrow Platform for
- narrowSKY
- blueSKY
- SKY classic

SKY fast & fixed – components

REF	SKYFn173	SKYFn175	SKYFn354	SKYFn355
Description	SKY fast & fixed abutment 17.5°	SKY fast & fixed abutment 17.5°	SKY fast & fixed abutment 35°	SKY fast & fixed abutment 35°
Shoulder height / mm	3.23	4.82	3.12	3.94
piece	1 set	1 set	1 set	1 set
Gingiva height / mm	2.15	3.74	1.06	1.88
Angulation	17.5°	17.5°	35°	35°
Abutment height / mm	3.6	3.6	3.6	3.6
Shoulder Ø / mm	5.65	5.65	5.65	5.65
Insertion aid	incl.	incl.	incl.	incl.
Material	Ti*	Ti*	Ti*	Ti*
2.2 screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	25	25	25	25
Platform	narrow	narrow	narrow	narrow
narrowSKY	✔	✔		
blueSKY / SKY classic	✔	✔	✔	✔



REF	SKYFn001	SKYFn002	SKYFn004
Description	SKY fast & fixed abutment NP 0°	SKY fast & fixed abutment NP 0°	SKY fast & fixed abutment NP 0°
Shoulder height / mm	1.0	2.0	4.0
piece	1	1	1
Angulation	0°	0°	0°
Abutment height / mm	3.6	3.6	3.6
Shoulder Ø / mm	5.65	5.65	5.65
Material	Ti*	Ti*	Ti*
SKY prosthetic key	✔	✔	✔
Torque/Ncm	25	25	25
Platform	regular	regular	regular
narrowSKY	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔



REF	SKYUC001	SKYUC002	SKYUC003
Description	SKY uni.cone abutment 0°	SKY uni.cone abutment 0°	SKY uni.cone abutment 0°
Shoulder height / mm	1.0	2.0	3.0
piece	1	1	1
Angulation	0°	0°	0°
Abutment height / mm	3.3	3.3	3.3
Shoulder Ø / mm	4.5	4.5	4.5
Material	Ti*	Ti*	Ti*
SKY prosthetic key	✔	✔	✔
Torque/Ncm	25	25	25
Platform	narrow	narrow	narrow
narrowSKY	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔

Ti*=
Grade 4 KV titanium



REF	SKYFFPKT	SKYUCPKT	SKYFFPKC	SKYUCPKC
Description	SKY fast & fixed prosthetic coping	SKY uni.cone prosthetic coping titanium	SKY fast & fixed prosthetic coping CAD/CAM	SKY uni.cone prosthetic coping CAD/CAM
piece	1	1	1	1
Construction height / mm	12.4	12.4	12.4	12.4
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	5.65	4.5	5.65	4.5
Silicone tubing	incl.	incl.	-	-
Locking pin	incl.	incl.	-	-
Material	Ti*	Ti*	Ti*	Ti*
Screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔
Torque/Ncm	18	18	18	18



REF	SKYFFPKK	SKYUCPKK	SKYFFPKH	SKYFTPKS	SKYUCPKS
Description	SKY fast & fixed prosthetic coping plastic	SKY uni.cone prosthetic coping plastic	SKY fast & fixed prosthetic coping cast-on	SKY fast & fixed prosthetic coping transversal	SKY uni.cone prosthetic coping transversal
piece	1	1	1	1	1
Construction height / mm	12.4	12.4	12.8	6.1	5.1
Angulation	0°	0°	0°	0°	0°
Shoulder Ø / mm	5.65	4.5	5.65	5.65	4.5
Modelling cap	-	-	incl.	incl.	incl.
Material	PMMA	PMMA	Pt 90%, Ir 10%	Ti*	Ti*
Melting range	-	-	1770 - 1800°C	-	-
CTE	-	-	9 $10^{-6}K^{-1}$	-	-
Weight	-	v	0.59 g	-	-
Sleeve material	-	-	PMMA	PS	PS
Screw	incl.	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	-	-
Inbus 0.9	-	-	-	✔	✔
Torque/Ncm	18	18	18	18	18

Ti*=
Grade 4 KV titanium



REF	SKYFFSPK	SKYFFLPK	SKYUFTS9
Description	SKY fast & fixed / SKY uni.cone M 1.4 screw	SKY fast & fixed / SKY uni.cone lab screw M 1.4	SKY fast & fixed / SKY uni.cone transversal screw
piece	6	10	6
Screw length / mm	5.3	5.3	2.5
Thread	M 1.4	M 1.4	M 2x0.25
Head Ø / mm	2.1	2.1	-
Material	Grade 5 KV	Grade 5 KV	Grade 5 KV
SKY prosthetic key	✔	✔	-
Inbus 0.9	-	--	✔

SKY fast & fixed – components

REF	SKYFTSNP	SKYUCSNP	SKYFFREG	SKYUCREG
Description	SKY fast & fixed snap coping	SKY uni.cone snap coping	SKY fast & fixed bite registration	SKY uni.cone bite registration
piece	10	10	10	10
Construction height / mm	8	8	4.1	4.1
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	5.65	4.5	5.65	4.5
Material	POM	POM	POM	POM

REF	SKYFFAGK	SKYUCAGK	SKYFFAOL	SKYUCAOL
Description	SKY fast & fixed impression short closed	SKY uni.cone impression short closed	SKY fast & fixed impression coping open	SKY uni.cone impression coping open
piece	1	1	1	1
Construction height / mm	6.1	6.1	17.5	17.5
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	5.65	4.5	5.65	4.5
Material	Ti*	Ti*	Ti*	Ti*
Screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	✔	✔



REF	SKYFSCIE	SKYUSCIE	SKYFFTLA	SKYUCTLA
Description	SKY fast & fixed scan coping intraoral / extraoral	SKY uni.cone scan coping intraoral / extraoral	SKY fast & fixed laboratory analogue	SKY uni.cone laboratory analogue
piece	1	1	1	1
Construction height / mm	12.4	12.4	14	14
Angulation	0°	0°	0°	0°
Shoulder Ø / mm	5.65	4.5	5.65	4.5
Material	PEEK	PEEK	stainless steel	Ti*
Screw	incl.	incl.	incl.	incl.
SKY prosthetic key	✔	✔	-	-

Ti*=
Grade 4 KV titanium

REF	SKYFFS35
Description	SKY fast & fixed angulation aid set 35°
piece	1

SKY fast & fixed – accessories

SKY fast & fixed bridge kit

SKY fast & fixed bridge kit maxilla
REF 580FFBOK

- top.lign professional crown and bridge material
- novo.lign veneers
  - I47, A3
  - L3, A3



SKY fast & fixed bridge kit mandible
REF 580FFBUK

- top.lign professional crown and bridge material
- novo.lign veneers
  - D38, A3
  - L3, A3



flow.sil – microgap sealingflow.sil – microgap sealing
Sealing of the gaps between the abutment and prosthetic restoration

- Has an antimicrobial effect
- Prevents or reduces bacterial colonisation
- Prevents or reduces odour formation

flow.sil Set contains:
5 ml double cartridge
4 mixing cannulas
4 tips
REF 580FLOWS

SKY prosthetics

Implant and abutment platforms

Implant connections

Prosthetics overview

Classic implantology
- Implant analogue
- SKY aesthetic line
- SKY aesthetic gingiva former
- SKY impression abutments
- SKY aesthetic line temporary abutments
- SKY aesthetic line titanium abutments
- SKY standard line titanium abutments
- SKY castable abutment

CAD/CAM-manufactured restorations
- SKY uni.fit scan abutments
- SKY uni.fit titanium base
- SKY prefab titanium
- SKY uni.fit titanium base S for CEREC®

Immediate and late restoration
- SKY elegance overview
- SKY elegance abutments
- SKY elegance prefabs
- SKY elegance titanium base
- SKY fast & fixed – overview
- SKY fast & fixed – components
- SKY fast & fixed – accessories

Prosthesis fixation
- SKY TiSi.snap
- SKY Locator®

SKY TiSi.snap

Cost-effective prostheses can be fixed using TiSi.snap and retention.sil, as the existing prosthesis only requires grinding. Hold is guaranteed by retention.sil, which is filled into the cavity. The restoration is very resilient and offers a high level of wearing comfort.

Contents:
retention.sil in 3 hardnesses
in the double-mix cartridge
REF 580RTSET

retention.sil 200
Shore hardness 25 SH
Pull-off forces 200 g / 2 Newton
REF 580RTS25

retention.sil 400
Shore hardness 50 SH
Pull-off forces 400 g / 4 Newton
REF 580RTS50

retention.sil 600
Shore hardness 65 SH
Pull-off forces 600 g / 6 Newton
REF 580RTS65

Multisil-Primer
5 ml
REF 52001004

SKY one bur
Ø 4.1 mm
REF SKY-DR41

The special silicone cutter is suitable for angled and lab handpiece.

REF	TISI0Y31	TISI0Y51	TISI0Y53	TISIAY17	TISIAY35
Description	SKY TiSi.snap 3/1	SKY TiSi.snap 5/1	SKY TiSi.snap 5/3	SKY TiSi.snap 17,5°	SKY TiSi.snap 35°
pieces	1	1	1	1	1
Angulation	0°	0°	0°	17.5°	35°
Shoulder Ø / mm	4.93	4.93	4.93	5.65	5.65
Gingiva height / mm	1.34	1.34	3.34	1.68	0.72
Material	Grade 5 KV titanium	Grade 5 KV titanium	Grade 5 KV titanium	Ti*	Ti*
SKY prosthetic key	✔	✔	✔	✔	✔
Torque / Ncm	25	25	25	25	25
Platform	narrow	narrow	narrow	regular	regular
narrowSKY	✔	✔	✔	-	-
blueSKY / SKY classic	✔	✔	✔	✔	✔
retention.sil	✔	✔	✔	✔	✔
Retentions-Ø / mm	3.87	3.87	3.87	3.87	3.87
Locator®	10°-20°	10°-20°	10°-20°	10°-20°	10°-20°

Ti*=
Grade 4 KV titanium

SKY Locator®

Due to its low structural height, the SKY Locator® offers excellent possibilities for fixing prostheses in many cases.

The long-lasting stability of the bone around the implant is supported by the built-in Platform switch.

The 5 gingival heights of 1, 2, 3, 4, and 6 mm cover all of the relevant clinical situations.

REF	LOCLAB10	LOCLAB20
Description	Locator® Processing set 0°-10°	Locator® Processing set 10°-20°
pieces	2 Sets	2 Sets
Material	Titan / Teflon / Nylon	Titan / Teflon / Nylon

REF	LOCZAB01	LOCZAB02	LOCZAB03	LOCZAB04	LOCZAB06
Description	Locator® abutment for SKY 1 mm	Locator® abutment for SKY 2 mm	Locator® abutment for SKY 3 mm	Locator® abutment for SKY 4 mm	Locator® abutment for SKY 6 mm
pieces	1	1	1	1	1
Angulation	0°	0°	0°	0°	0°
Gingiva height	1	2	3	4	6
Material	Ti*	Ti*	Ti*	Ti*	Ti*
Coating	TiNi	TiNi	TiNi	TiNi	TiNi
Locator-Instruments	✔	✔	✔	v	✔
Torque / Ncm	25	25	25	25	25
Platform	narrow	narrow	narrow	narrow	narrow
narrowSKY	✔	✔	✔	✔	✔
blueSKY / SKY classic	✔	✔	✔	✔	✔
retention.sil	✔	✔	✔	✔	✔
Retention Ø / mm	3.87	3.87	3.87	3.87	3.87
Retention elements 0°-10°	✔	✔	✔	✔	✔
Retention elements 10°-20°	✔	✔	✔	✔	✔

Ti*=
Grade 4 KV titanium

Crown and bridge material
Qu-resin rosa
REF 54001161



In the atrophied jaw, implants can often only be placed in an angulated manner, the obliquely acting bite forces can lead to increased wear on the abutments and the retention elements. The insertion direction is adjusted for by the angled Locator®. The following angulations are available:

- 17.5°
- 35°

It is therefore now also possible to support prostheses from a posterior direction using implants inserted at an angle.

REF	LOCLAB10	LOCLAB20
Description	Locator® Processing set 0°-10°	Locator® Processing set 10°-20°
pieces	2 Sets	2 Sets
Material	Titan / Teflon / Nylon	Titan / Teflon / Nylon

REF	LOCAB172	LOCAB352
Description	SKY Locator® abutment 17,5°	SKY Locator® abutment 35°
pieces	1	1
Angulation	17.5°	35°
Sholder Ø / mm	5.65	5.65
Gingiva height / mm	1.7	0.7
Coping Material	Grade 5 titanium	Grade 5 titanium
Coping coating	TiNi	TiNi
Basi material	Grade 4 KV titanium	Grade 4 KV titanium
Material	-	-
Screw	incl.	incl.
SKY prosthetic key	✔	✔
Torque / Ncm	25	25
Platform	regular	regular
narrowSKY	-	-
blueSKY / SKY classic	✔	✔
Retention Ø / mm	3.87	3.87
Retention elements 0°-10°	✔	✔
Retention elements 10°-20°	✔	✔

SKY Locator® Prosthesis fixation

Locator®
Instrument
1 pieces
REF LOCZINST

Locator®
Angular insertion instrument, 1 pieces
REF LOCZWED6

Impression coping
4 pieces
REF LOCZAK40

Laboratory analog
4 pieces
REF LOCZLA40

Blocking out ring
20 pieces
REF LOCblock

Processing insert
black
4 pieces
REF LOCZVA11

Angular measuring abutment
4 pieces
REF LOCZWIMP

Angular measuring gauge
1 pieces
REF LOCZWIML

0°–10°

Retention insert
blue, 6.7 N, 680 g
4 pieces
REF LOCR1006

Retention insert
pink, 13.4 N, 1365 g
4 pieces
REF LOCR1013

Retention insert
transparent, 22.3 N, 2270 g
4 pieces
REF LOCR1022

10°–20°

Retention insert
red, 4.4 N, 454 g
4 pieces
REF LOCR2006

Retention insert
orange, 9.1 N, 907 g
4 pieces
REF LOCR2009

Retention insert
green, 17.8 N, 1815 g
4 pieces
REF LOCR2018

For wide alveolar ridges with low height – copaSKY, the ultra-short implant





Photos: Prof. Dr. Emanuel Bratu, University of Timisoara, Romania

Patients with limited bone height require special solutions to benefit from the advantages of a reliable and durable implant restoration. The traditional procedure of building up the bone through augmentation or sinus lifting increases the number of treatment sessions and the costs as well. Moreover, anxious patients are deterred by the additional risk involved in such types
of surgery and they are not willing to undergo such treatment.

Reaching the target with copaSKY:

- No complex augmentations - lower risk
- Reduction of trauma and prolonged healing phases
- Fewer appointments in the practice
- Faster restoration of function and aesthetics
- Lower overall costs

= satisfied patients
= acquiring new patient groups
= more success for your practice



The benefits of the conical-parallel connection

- A single connection geometry for all diameters reduces the number of prosthetic components to simplify stockkeeping and increase process reliability
- Torx as gold standard for protection against rotation
- Stable and reversible conical-parallel-walled implant-abutment connection for simple removal of the prosthetic restoration



osseo-connect-surface (ocs)®: surface design for improved osseointegration



Overview of the copaSKY system

Implants



Instruments copaSKY

copaSKY Upgrade Kit REF COPAUPGK

Pilot drill | copaSKY 6.0 drill | copaSKY depth stops | copaSKY TK mounter



Accessories copaSKY

suitable for both prosthetic lines (see next page)

copaSKY X-ray template



COPAMS00

copaSKY implant analog

COPAIA50

Prosthetic solutions for copaSKY

Particular attention must be paid to positioning of the ultra-short implant due to the challenging ratio of „implant length vs. abutment height". The design of our prosthetic parts not only takes this circumstance into account, but also provides additional degrees of freedom depending on the gingiva height.

The two lines „05" and „15" that are presented on the next page have exactly these characteristics. The two digits indicate the shoulder height in mm.

The „05" type with a shoulder height of 0.5 mm is preferably used if you have positioned the implant at a flat bone level and the patient has a rather thin gingiva. The „05" line can be customized very easily and you will achieve good esthetic results.

You will achieve optimum results with the abutments and gingiva formers of the „15" line with a shoulder height of 1.5 mm even if you have placed the implants in a deep position and your patient's gingiva is also quite thick. The abutments provide sufficient space for the apposition of this soft tissue.

Prosthetics lines copaSKY

Degree of freedom F05



Degree of freedom F15



Abutments F05

BioHPP® copaSKY elegance M Abutment 0°	copaSKY exso Abutment	copaSKY uni.cone Abutments
COPAEM00	COPAEXSO	COPAUC01 (1 mm)

Abutments F15

copaSKY uni.cone Abutments		BioHPP® copaSKY elegance M Abutment 0° F15	copaSKY exso Abutment 0° F15
COPAUC02 (2 mm)	COPAUC03 (3 mm)	COPAEM00F15	COPAEXSOF15

Individual Abutments F05

copaSKY elegance titanium base ML	copaSKY titanium base for CEREC®
COPAETBM	COPASCTB

Individual Abutments F15

copaSKY elegance titanium base ML F15	copaSKY titanium base for CEREC® F15
COPAETBMF15	COPALCTBF15

Accessories Prosthetics F05

copaSKY gingiva former M 4 mm	copaSKY impression abutment M open tray
COPAGF04	COPAPAM1

Accessories Prosthetics F15

copaSKY gingiva former **M 4 mm F15**	copaSKY gingiva former **M 6 mm F15**	copaSKY impression abutment M F15 open tray
COPAGF04F15	COPAGF06F15	COPAPAM1F15

Prosthesis fixation / miniSKY for narrow alveolar ridges

Prosthesis fixation

With miniSKY, bredent medical offers an implant that is reduced in diameter and perfectly suited to prosthesis fixation due to its technical properties.



Restoration of narrow single tooth gaps

mini²SKY is perfectly suited to restoration of narrow single tooth gaps.
In the case of low bone availability and despite residual dentition, patients can be treated with a highly-aesthetic solution for the edentulous space.

The miniSKY implant system

Implant and surface design

mini¹SKY

mini²SKY



osseo connect surface (ocs)®

The mini¹SKY and mini²SKY implants have the tried-and-tested *osseo-connect surface (ocs)®* of the blueSKY implants, which ensures optimal osseointegration.

The uniform coarse surface provides ideal prerequisites for the accumulation of the osteoblasts. This is additionally supported by the excellent hydrophilic properties of the implants.



Competing implant abutment connection



mini²SKY implant abutment connection



- High implant abutment connection
- Minimal movement due to 5° cone
- Exceptional stability



Definitive positioning of the abutment

mini¹SKY

- Temporary implant
- Fixation of templates



Length 6 mm	REF m1SKYL06
Length 10 mm	REF m1SKYL10
Length 12 mm	REF m1SKYL12
Length 14 mm	REF m1SKYL14

mini²SKY 2.8



Length 10 mm	REF m2SKYL10
Length 12 mm	REF m2SKYL12
Length 14 mm	REF m2SKYL14

mini²SKY 3.2

Length 8 mm	REF m2SK3208
Length 10 mm	REF m2SK3210
Length 12 mm	REF m2SK3212
Length 14 mm	REF m2SK3214

Prosthesis fixation

SKY O-ring housing or SKY precious metal matrix



mini²SKY retention.loc



mini²SKY TiSi.snap with retention.sil – the economical alternative

CAD/CAM manufactured bars – directly screwed

Restoration of narrow single-tooth gaps

Standard abutments

Individual abutments – analogue and digital



Overview of components

Prosthesis fixation for mini¹SKY

SKY Precious Metal Matrix

SKYGM225

SKY Metal Housing with O-ring

SKY-OR50

SKY O-rings

6 pieces
SKY-OR55

mini¹SKY Implant Analogue

m1SKYXIA

mini¹SKY BOX

m1SKYBOX

SKY Precious Metal Matrix Activator

SKYGMAKT

SKY Precious Metal Matrix Deactivator

SKYGMDEA

Prosthesis fixation for mini²SKY

mini²SKY retention.loc

m2SKYRL2 m2SKYRL4

Locator® Prozessing Set

2 pieces
LOCLAB20

mini²SKY BOX with mini²SKY retention.loc

m2SKYBOXRL

mini²SKY TiSi.snap

m2SKTI02

m2SKTI04

retention.sil Set

580RTSET

SKY Bone Bur

SKY-DR41

mini²SKY BOX with mini²SKY TiSi.snap

m2SKYBOXTI

Prosthetic fixation with CAD/CAM manufactured bar on mini²SKY

mini²SKY Scan-Abutment

m2SKSCIE

mini²SKY Screw

6 pieces
m2SKYS22

miniSKY 0° parallelization tool

mSKYPARA

Restoration of narrow single-tooth gaps with mini²SKY

mini²SKY MD-Abutment Titanium

m2SKYMDT

mini²SKY MD-Abutment BioXS

m2SKYMDB

mini²SKY uni.fit Abutment

m2SKYUFA

Modelling Sleeve

10 pieces
UFCADMOD

mini²SKY Scan-Abutment

m2SKSCIE

mini²SKY Prefab Titanium

m2SKYPFS

Impression abutments, laboratory analogues, gingiva former and screws for mini²SKY

mini²SKY Impression Abutment

m2SKYPA1

mini²SKY Implant Analogue

m2SKYXIA

mini²SKY Gingiva Former

m2SKYGF3

m2SKYGF5

mini²SKY Screw

6 pieces
m2SKYS22

mini²SKY Laboratory Screw

10 pieces
m2SKYL22

The aesthetic zirconia implant

11 years experience – scientifically proven

High success rates
- Amberger et. al 2015 – 94.6% after 4 years
- Grassi et al. 2015 - 96.4% after 5 years

Highly stable implant
- Kohal et al. 2011

Excellent soft tissue attachment
- Stadlinger et al. 2011

Stable bone level
- Amberger et. al 2015
- Borgonovo et al. 2013
- Grassi et al. 2015

Recommendations for using the whiteSKY zirconia implants

Very thorough implant planning required.

Individual tooth:
Correct implant position is crucial for the aesthetic result

Bridges:
- Parallel positioning of the implants for the restoration required
- +/- 10° divergence balance possible
- Use drilling templates

Make use of the surgical options to achieve optimal primary stability

Temporarily restore the implant immediately
- Elastic prosthetic materials
- Interlocking with neighbouring teeth if the primary stability < 30 Ncm

Modelling like a natural tooth stump

Permanent restoration
- Using modern high-performance polymers such as BioHPP, which are veneered with composite materials such as visio.lign
- Using ceramic

Literature:

Amberger et al.
Immediate provisional restoration of single-piece zirconia implants: 4 years follow up
Med Oral Patol Oral Cir Bucal

Borgonovo et al.
Behavior of endosseous one-piece yttrium stabilized zirconia dental implants placed in posterior areas
Minerva Stomatol 2013 62, 247-57

Calvo-Guirado et al.
Histological, radiological and histomorphometric evaluation of immediate vs. non-immediate loading of a zirconia implant with surface treatment in a dog model
Clinical Oral Implants Research, Volume 25, Issue 7, July 2014, Pages: 826–830, Jose

Grassi et al.
Immediate Occlusal Loading of One-Piece Ziirconia Implants: 5 years Radiographic and Clinical Evaluation
JOMI, vol. 30, N° 3, 2015

Kohal et al.
The effects of cyclic loading and preparation on the fracture strength of zirconia-dioxide implants: an in vitro investigation.
Clin. Oral Implants Res, 2011 Aug 22 (8); S. 808-814

Payer et al.
Immediate provisional restoration of single-piece zirconia implants: a prospective case series – results after 24 months of clinical function
COIR, Volume 24, Issue 5, May 2013, Pages: 569–575

Stadlinger et al.
Comparison of zirconia and titanium implants after a short healing period. A pilot study in minipigs.
Clinical & Maxillofacial Surgery, Vol. 3, 1, 2010

whiteSKY sizes

Ø 3.5 mm

Length 10 mm	REF SKY3510C
Length 12 mm	REF SKY3512C
Length 14 mm	REF SKY3514C
Length 16 mm	REF SKY3516C

Ø 4.0 mm

Length 8 mm	REF SKY4008C
Length 10 mm	REF SKY4010C
Length 12 mm	REF SKY4012C
Length 14 mm	REF SKY4014C
Length 16 mm	REF SKY4016C

Ø 4.5 mm

Length 8 mm	REF SKY4508C
Length 10 mm	REF SKY4510C
Length 12 mm	REF SKY4512C
Length 14 mm	REF SKY4514C

SKY OP-Tray 100
REF SKYOT100

Fig. with accessories subject to an extra charge



Figure: Komet Dental, Geb. Brasseler GmbH & Co.KG

To grind our whiteSKY zirconium implant, we recommend the ZR grinders from Komet, which are suitable for precise processing of all-ceramic materials. A special bond embeds the diamond grains to the abrasive instrument. As a result, they offer high stability and enable improved material removal compared to conventional grinding instruments.

For more information and ordering, please contact Komet.

REF	SKYCPK40	SKYCPK45
Description	whiteSKY Prosthetic cap Ø 3.5 mm + Ø 4.0 mm	whiteSKY Prosthetic cap Ø 4.5 mm
Pieces	1	1
Height / mm	8.0	8.0
Ø / mm	4.3	4.8
Material	PEEK	PEEK

Drill

Drill stops			L6	L8	L10	L12	L14	L16
Twistdrill		REF	SKYXST06	SKYXST08	SKYXST10	SKYXST12	SKYXST14	SKYXST16
Drill	3.5 4.0	REF	–	SKYS0840	SKYS1040	SKYS1240	SKYS1440	SKYS1640
Drill	4.5 5.5	REF	–	SKYS0845	SKYS1045	SKYS1245	SKYS1445	–

Bone bur rpm/min rpm 800-1.000

Ø 4.1 REF SKY-DR41

Pilot drill rpm 800-1.000

Ø 3.1 short REF SKY-DP06

Ø 3.1 long REF SKY-DP08

Twistdrill rpm 800-1.000

Ø 1.3 REF SKYDT13L

Ø 2.25 short REF SKYDT23K

Ø 2.25 long REF SKYDT23L

Drill for hard bone rpm 300

Ø 3.2	REF SKYD1235	3.5	3.5 N
Ø 3.8	REF SKYD1240	4.0	
Ø 4.3	REF SKYD1245	4.5	
Ø 5.0	REF SKYD1255	5.5	

Drill for medium hard and soft bone rpm 300

Ø 3.06	REF SKYD3435	3.5	3.5 N
Ø 3.56	REF SKYD3440	4.0	
Ø 4.06	REF SKYD3445	4.5	
Ø 4.76	REF SKYD3455	5.5	

Crestal drill rpm 300

Ø 3.5	REF SKYCD35n	3.5 N	narrowSKY
Ø 4.0	REF SKYXCD35	3.5	blueSKY, SKY classic
Ø 4.0	REF SKYXCD40	4.0	blueSKY SKY classic
Ø 4.5	REF SKYXCD45	4.5	blueSKY SKY classic
Ø 5.2	REF SKYXCD55	5.5	blueSKY

SKY Drill extension

REF SKY-DV12

Dimensions in mm

Surgical tools



SKY TK mounter for ratchet short
REF SKY-STK5



SKY TK mounter for ratchet long
REF SKY-STK6

SKY TK mounter for contra-angle short
REF SKY-WTK5

SKY TK mounter for contra-angle long
REF SKY-WTK6

miniSKY insertion instrument for contra-angle short **REF mSKYXWM6**

miniSKY insertion instrument for contra-angle long **REF mSKYXWM7**

SKY Connector Pro for contra-angle
REF SKYTWCON

Parallel indicator with conical and cylindrical side, thicker central area with hole for protection against accidental dropping
REF SKY-PI22



SKY fast & fixed angulation aid set 35°
REF SKYFFS35



whiteSKY mounter for ratchet
REF SKYC-SM6

whiteSKY mounter for ratchet
REF SKYC-WM6



blueSKY / narrowSKY X-ray-templates
Scale 1:1 **REF bSKYMS01**
Scale 1.12:1 **REF bSKYMS12**
Scale 1.26:1 **REF bSKYMS26**

SKY classic X-ray-templates
Scale 1:1 **REF kSKYMS01**
Scale 1.12:1 **REF kSKYMS12**
Scale 1.26:1 **REF kSKYMS26**

Prosthetic tools



SKY prosthetic key short
REF SKY-SD16

SKY prosthetic key long
REF SKY-SD25

SKY Connector Pro for contra-angle
REF SKYTWCON

SKY prosthetic key for contra-angle short
REF SKY-SD22

SKY prosthetic key for contra-angle long
REF SKY-SD28

Screwdriver Alle 0.9 for transversal screw-retention
REF 310W0106

Locator® mounter for contra-angle
REF LOCZWED6

Locator® Instrument
REF LOCZINST



SKY Torque Wrench Pro
Precise display of the torques from 10 to 45 Ncm
REF SKYTWPRO

SKY Laboratory handle incl. **SD-22**
- Work end for insertion of contra-angle handpieces
- Work end for ball head screw (corresponds to SKY-SD21)

REF SKY-SD80

SKY Universal forceps
- itanium nitrite-coated grip surface
- Holding of implants and abutments
- Oral securing of the prosthetic key

REF SKY-SD60

SKY Key holder
- Oral securing of the prosthetic key

REF SKY-SD65

Practice

With the SKY prosthetc tray for practice, the necessary wrench is always to hand in your practice.

The prosthetc tray is equipped with the Torque-Wrench pro and the long and short SKY prosthetic keys as standard.

Laboratories



With the SKY prosthetc tray for laboratory, the necessary wrench is always to hand in your laboratory.

The prosthetc tray is equipped with the laboratory handle and the prosthetic key for the contra-angle handpiece as standard.

SKY prosthetc tray assortment practice REF SKYPET10



Content:

SKY Torque Wrench Pro

SKY prosthetic key short

SKY prosthetic key long

The following products can be ordered separately as desired.

SKY prosthetic key for ball head attachments
REF SKY-SD21

SKY Connector Pro
REF SKYTWCON

Screwdriver 6 long Allen 0.9 contra-angles
REF 310W0106

SKY Key holder
REF SKY-SD65

SKY prosthetic tray assortment laboratories REF SKYPET20



Content:

SKY laboratory handle

SKY prosthetic key for contra-angle

The following products can be ordered separately as desired.



Locator®
mounter for contra-angles
REF LOCZWED6

Screwdriver 6 long Allen 0.9 contra-angles
REF 310W0106

Torque Wrench Pro

SKY Torque Wrench Pro set
incl. SKY Connector Pro
Precise display of the torques from 10 to 45 Ncm
REF SKYTWSET



- Gingiva former and impression abutment (10 Ncm)
- SKY fast & fixed / uni.cone copings (18 Ncm)
- All SKY abutments (25 Ncm)
- Range for primary stability for immediate restoration 30 – 45 Ncm (40 Ncm for improved orientation)



Easy to clean:
- The head separates easily from the handle using finger pressure
- Easy to reassemble after cleaning
- Done

SKY Connector Pro
- For contra-angle handpiece instruments
- Snaps firmly into the ratchet by pushing with your thumb
- Easy to remove by pushing with your thumb

CPS Cordless Prosthodontic Screwdriver

How much time do you spend loosening and fixing implant screws?
You can save app. 50 % of the time using the CPS.

Are you sure that your screws are always the correct tightness?
With CPS there will be no screw loosenings due to wrong torque.

Can you reach your palatinal screws easily?
With CPS you have perfect access to all sites because it is cordless.

Perfect Handling
- cordless
- ergonomic design

Highest precision
- Precision of torque values +/- 5%
- Torque range: 8 Ncm – 40 Ncm



Best hygiene
- Non-slip handpiece and removable switch
- autoclavable
- thermo-disinfectable

Universal
With screwdrivers for the most important implant systems

CPS Cordless Prosthodontic Screwdriver
+ Full Range Driver-Kit
REF 580CPS40

Full Range Driver-Kit

Hexagon (Inch)	0.03	0.05					
Hexagon (mm)	0.9	1.0	1.2	1.8	2.5		
Torx (mm)	SKY	5.5	6.0				
Slot (mm)	1.6	2.0					

Screws

In two posters presented at the SKY Meeting 2012, Dr. Wentaschek from the University of Mainz illustrated how Pretension can be significantly reduced by repeatedly tightening the screw. Pretension is the decisive crucial factor for the implant-abutment connection. It is therefore recommended that the appropriate laboratory screws are used in the laboratory, in order to prevent screw loosening. These results can be transferred to the recall. In this case, we recommend replacement of the screws when the abutment is removed for cleaning.



Repeatedly tightening the screws reduces pretension by up to 40 %.

Source: S. Wentaschek et al: Reibungskoeffizient und Vorspannung beim Implantat-Abutment-Schraubenverbindungen [Coefficient of friction and pre-tension in implant abutment screw connections]; Scientific Book SKY Meeting 2012; S. 54-55; bredent medical GmbH & Co. KG, ISBN 978-3-00-038740-1

REF	**SKY-PS22**	**SKYLPS22**	**SKYFFSPK**	**SKYFFLPK**	**SKYUFTS9**
Description	SKY screw 2.2	SKY lab screw 2.2 grey	SKY fast & fixed / uni.cone screw M1.4 für Proesthetic coping	SKY fast & fixed / uni.cone screw M1.4 grey	SKY fast & fixed / uni.cone Transversal screw Hexagon 0.9
pieces	6	10	6	10	6
Screw length / mm	9.0	9.0	5.3	5.3	2.5
Thread	M 1.8	M 1.8	M 1.4	M1.4	M 2x0.25
Head Ø / mm	2.2	2.2	2.21	2.1	2.0
Material	Ti*	Ti*	Grade 5 titanium	Grade 5 titanium	Grade 5 titanium
SKY prosthetic key	✔	✔	✔	✔	✔

REF	**m2SKYS22**	**m2SKYL22**
Description	mini²SKY screw	mini²SKY lab screw brown
pieces	6	10
Screw length / mm	4.7	4.7
Thread	M 1.6	M 1.6
Head Ø / mm	2.2	2.2
Material	Grade 5 titanium	Grade 5 titanium
SKY prosthetic key	✔	✔

REF	**COPASM16**	**COPALM16**
Description	copaSKY screw	copaSKY lab screw
pieces	1	1
Screw length / mm	6.5	6.5
Thread	M 1.6	M 1.6
Head Ø / mm	2.2	2.2
Material	Ti*	Ti*
SKY prosthetic key	✔	✔

Ti*=
Grade 4 KV titanium

Torques for SKY prosthetics

SKY cover screw SKY gingiva former	25 rpm	10 Ncm
SKY impression abutments	25 rpm	10 Ncm
SKY temp SKY uni.cone SKY fast & fixed Prosthetic srew	25 rpm	18 Ncm
SKY abutments	25 rpm	25 Ncm

Torques for miniSKY prosthetics

miniSKY Gingiva former impression abutments Scan abutment	25 rpm	10 Ncm
miniSKY abutments	25 rpm	20 Ncm

Torques for copaSKY prosthetics

copaSKY Gingiva former impression abutments	25 rpm	10 Ncm
copaSKY abutments	25 rpm	25 Ncm



HELBO® Treatment – modern treatment

With HELBO® Treatment you can quickly relieve your patients from these inflammations/infections or prevent disturbances to wound healing. The light also accelerates the healing process and has a proven analgesic effect. The treatment integrates exceptionally into existing treatments offered by bredent medical. HELBO® therefore ensures treatment success in the context of immediate restoration of whole jaws with SKY fast & fixed or even of individual tooth gaps with SKY elegance. HELBO® can also be combined perfectly with bone replacement materials, membranes or even collagen fleeces in the case of augmentative measures and socket preservation. The HELBO® treatment can be assigned to adequately trained assistants to reduce the workload for the dentist.

Singlet oxygen destroys pathogenic bacteria.
The proposed treatment is based upon the marking of the bacterial wall using light-sensitive dye molecules, which diffuse into the biofilm from the Photosensitizer. The dye molecules are then activated using laser light and transfer their energy into local oxygen. This creates highly-aggressive singlet oxygen, which destroys more than 99 percent of the bacteria in the biofilm. An efficacy rate as high as this would be unthinkable using conventional treatment methods.
The publications and studies carried out with the HELBO system can be found at:
http://www.helbo.de/de/wissenschaft/

- Planktonic bacteria
- Bacteria actively growing in the biofilm
- Persisting bacteria in the biofilm
- Photosensitizer (light-sensitive dye)
- Biofilm matrix
- Quorum Sensing signal molecules



How it works



Accumulation of light-sensitive photosensitizers on the bacterial membrane



Exposure and stimulation of the photosensitizers with the HELBO®TheraLite Laser



Reaction with oxygen, image of aggressive singlet oxygen



Damage to bacterial membrane: destruction of the micro-organisms

Areas of application




Periodontitis / Periimplantitis
(closed/surgical procedure)

HELBO® therapy is used in initial and maintenance treatment. Depending on the severity of the disease and accessibility, the procedure is carried out by means of a closed or surgical procedure. Studies confirm that the inflammation subsides, healing is promoted and the probe depth is reduced with this treatment.

Image:
Dr. Tilman Eberhard, Schwäbisch Gmünd




Disinfection of the alveoli

Socket preservation

Teeth are most often removed due to bacterial inflammations. In terms of aesthetics and additional measures such as immediate or even delayed implantation, it is particularly important to disinfect the extraction alveolus accordingly. Collapsing of the vestibular bone lamella can be avoided when using together with suitable materials.

Image:
Dr. Jörg Neugebauer, Landsberg am Lech




Disinfection of the alveoli

Immediate implantation

During immediate implantation, HELBO® therapy, as a disinfecting measure following tooth extraction, can visibly reduce the occurrence of complications for single tooth restorations (e.g. with SKY elegance) and for full arch restorations (e.g. with SKY fast & fixed).

Image:
Dr. Jörg Neugebauer, Landsberg am Lech




Disinfection

Augmentation

Chronic inflammations frequently lead to bone loss. Before augmentative measures are carried out, the hard and soft tissue infected with bacteria is decontaminated using HELBO®. The bone defect is then filled with bone replacement material and covered with a membrane. By using this procedure, the risk of inflammation is reduced and controlled regeneration is enabled.

Image: Dr. Sigurd Hafner, Munich

Image: Dr. Sigurd Hafner, Munich

Bone necroses

Intraoperative staining of the biofilm with sterile *Photosensitizer* enables contamination on bones and soft tissue to be visualised and the area to be disinfected using laser radiation. This results in improved wound healing and ensures the success of the surgical measures.

Image:
Dr. Sigurd Hafner, Munich

visio.lign®

The aesthetic and functional system



Coating



crea.lign®

Milling

CAD/CAM

Veneering

novo.lign®

Setting up



neo.lign®

Painting

visio.paint

Bonding

primer/bonder

10 years of experience
Global market leader*
in physiological veneers

crea.lign® Paste

2014 **2016** **2017** **2018**

crea.lign®
Paste GUM

*6800 users
1.2 Mio. restorations

Complete range of the shades as paste

bredent group

Chipping repair kit

Chipping often at ceramic-veneerung

Following repair with crea.lign® composite

Instances of chipping are restored easily and quickly

- Primer works together with all prosthetic materials
- crea.lign® incisal masses and dentine (in A2 and A3 for covering in 80 % of all cases)
- 100 treatments with a single chipping repair kit
- No hydrofluoric acid necessary

Chipping Repair Kit for Dentists
REF CLIGNSETA

contains crea.lign® composite in colours A2/A3 including 4 primers and consumables.

Intraoral application

- "mouth approved": approved for intraoral application
- Chipping repair for all veneer materials
- "What you see is what you get": result is immediately visible and adjustable - no kilning required
- Rapid repair in situ: direct and simple

Permanent repairs with no loss of quality

- Material is approved for permanent repairs
- No loss of aesthetics: no colour differences and no "repair transitions" can be detected
- No loss of mechanical properties
- The result is at "supra-ceramic level"

Images of intraoral, permanent repairs
© 2016 by MDT Andreas Lüdtke, Bayreuth, Germany

bond.lign primer/ bonder

The neat solution for all prosthetic materials

Simple and safe cleaning is ensured by the application of FGP insulation varnish on the parts to be bonded. Areas of inflammation due to adhesive residues are a thing of the past.

Sterilizable

Full Range Bonding Kit



Primer for all prosthetic materials
- Titanium, zirconia, NPM – MKZ primer
- Ceramic, lithium disilicate – K primer
- PMMA, composite, BioHPP – visio.link

DTK adhesive
- Opaque (colour A2 / A3) for bonding titanium bases with ceramic abutments or crown abutments – no dark shadows impair the result
- Transparent for bonding ceramic abutments and crowns – no impairment of the translucence.

bredent REF 5400bond
bredent medical REF 5800bond

Fax Order Sheet

Please enter the order amount in the white field

Implants

narrowSKY

	L 8 mm	L 10 mm	L 12 mm	L 14 mm	L 16 mm
3.5 N	nSKY3508	nSKY3510	nSKY3512	nSKY3514	nSKY3516

blueSKY

	L 8 mm	L 10 mm	L 12 mm	L 14 mm	L 16 mm
4.0	bSKY4008	bSKY4010	bSKY4012	bSKY4014	bSKY4016
4.5	bSKY4508	bSKY4510	bSKY4512	bSKY4514	–
5.5	bSKY5508	bSKY5510	bSKY5512	–	–

SKY classic

	L 8 mm	L 10 mm	L 12 mm	L 14 mm	L 16 mm
4.0	kSKY4008	kSKY4010	kSKY4012	kSKY4014	kSKY4016
4.5	kSKY4508	kSKY4510	kSKY4512	kSKY4514	–

miniSKY

	L 6 mm	L 8 mm	L 10 mm	L 12 mm	L 14 mm
2.8	–	–	m2SKYL10	m2SKYL12	m2SKYL14
3.2	–	m2SK3208	m2SK3210	m2SK3212	m2SK3214
2.8	m1SKYL06	–	m1SKYL10	m1SKYL12	m1SKYL14

whiteSKY

	L 8 mm	L 10 mm	L 12 mm	L 14 mm	L 16 mm
3.5	–	SKY3510C	SKY3512C	SKY3514C	SKY3516C
4.0	SKY4008C	SKY4010C	SKY4012C	SKY4014C	SKY4016C
4.5	SKY4508C	SKY4510C	SKY4512C	SKY4514C	–

whiteSKY Prosthetic coping

SKYCPK40 SKYCPK45

Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers.
This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

Fax Order Sheet

Please enter the order amount in the white field

SKY IMPLANT SYSTEM

Surgical and prosthetic instruments

Bone bur / Drill extension / Parallel indicator

SKY-DR41 SKY-DV12 SKY-PI22

Pilot drill



SKY-DP06 SKY-DP08

Twistdrill

SKYDT13L SKYDT23K SKYDT23L

Drill for hard bone



SKYD1235 SKYD1240 SKYD1245 SKYD1255

Drill for medium hard and soft bone



SKYD3435 SKYD3440 SKYD3445 SKYD3455

Crestal drill



SKYCD35n SKYXCD35 SKYXCD40 SKYXCD45 SKYXCD55

Depth stop



	L 6 mm	L 8 mm	L 10 mm	L 12 mm	L 14 mm	L 16 mm
	SKYXST06	SKYXST08	SKYXST10	SKYXST12	SKYXST14	SKYXST16
3.5 / 4.0	–	SKYS0840	SKYS1040	SKYS1240	SKYS1440	SKYS1640
4.5 / 5.5	–	SKYS0845	SKYS1045	SKYS1245	SKYS1445	–

Implant mounting tool

SKY



SKY-WTK5 SKY-WTK6 SKY-STK5 SKY-STK6

miniSKY



mSKYXWM6 mSKYXWM7

whiteSKY

SKYC-SM6 SKYC-WM6

SKY prosthetic key

SKY-SD16 SKY-SD25 SKY-SD22 SKY-SD28 SKYTWCON

SKY Torque Wrench Pro

SKYTWPRO

Patient passport / X-ray-tamplates



000 514 0D

Scale	1 : 1	1.12 : 1	1.26 : 1
blueSKY/narrowSKY	bSKYMS01	bSKYMS12	bSKYMS26
SKY classic	kSKYMS01	kSKYMS12	kSKYMS26
miniSKY	mSKYMS01	mSKYMS12	mSKYMS26
whiteSKY	SKYMS01C	SKYMS12C	SKYMS26C

Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers.
This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

Fax Order Sheet

Please enter the order amount in the white field

Prosthetics – Immediate and late restoration

For narrowSKY approved prosthetic components
rose gold anodised

Prosthetic components not suitable or
not approved for narrowSKY

BioHPP SKY elegance Immediate restoration

BioHPP SKY elegance titanium base



BioHPP SKY elegance prefab set

SKY uni.cone



SKY fast & fixed



Angulation aid set 35°



SKY locking pin



Individual solutions for CAD/CAM – conventional

SKY uni.fit CAD/CAM solutions / individual abutments



SKY prefab titanium set

SKY castable abutment



Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers.
This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

Fax Order Sheet

Please enter the order amount in the white field

SKY IMPLANT SYSTEM

Classic implantology

Implant analog

28,90 €

SKY-IA40

SKY abutment selection set

SKYASET9

SKY temp

RP

SKYTEMPS SKYTEMPM SKYTEMPL

SKY impression abutments



NP

SKYnPAS2 SKYnPAM2 SKYnPAL2 SKYnPAKA

10 pieces



NP

SKYnPAS1 SKYnPAM1 SKYnPAL1

SKY esthetic gingiva former

NP

SKYESG02 SKYESG03 SKYESG04 SKYESG06



RP

SKYEMG02 SKYEMG03 SKYEMG04 SKYEMG06 SKYELG02 SKYELG03 SKYELG04

SKY esthetic abutments

NP

SKYnES00 SKYnES15 SKYnES16



NP

SKY-EM00 SKY-EM15 SKY-EM16 SKY-EL00

SKY Titanium abutments

NP

SKYnPO00 SKYnPO15 SKYnPO16 SKYnPO25 SKYnPO26

SKY prosthesis fixation

SKY Locator



NP

LOCZAB01 LOCZAB02 LOCZAB03 LOCZAB04 LOCZAB06

SKY Locator anglet

RP

LOCAB172 LOCAB352

SKY Locator



2 Sets LOCLAB10

2 Sets LOCLAB20

TiSi.snap

NP

TISI0Y31 TISI0Y51 TISI0Y53

TiSi.snap anglet



RP

TISIAY17 TISIAY35

retention.sil

580RTSET

Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers. This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

miniSKY – Prosthetics

Prosthesis fixation for mini¹SKY

SKY Precious Metal Matrix	SKY Metal Housing with O-ring	SKY O-rings	mini¹SKY Implant Analogue	mini¹SKY BOX with SKY-OR50	SKY Precious Metal Matrix Activator	SKY Precious Metal Matrix Deactivator
SKYGM225	SKY-OR50	6 pieces SKY-OR55	m1SKYXIA	m1SKYBOX	SKYGMAKT	SKYGMDEA

Prosthesis fixation for mini²SKY

mini²SKY retention.loc		Locator® Prozessing Set	mini²SKY BOX with mini²SKY retention.loc	mini²SKY TiSi.snap		retention.sil Set	SKY Bone Bur	mini²SKY BOX with mini²SKY TiSi.snap
m2SKYRL2	m2SKYRL4	2 pieces LOCLAB20	m2SKYBOXRL	m2SKTI02	m2SKTI04	580RTSET	SKY-DR41	m2SKYBOXTI

Prosthetic fixation with CAD/CAM manufactured bar on mini²SKY

mini²SKY Scan-Abutment	mini²SKY Screw
m2SKSCIE	6 pieces m2SKYS22

Restoration of narrow single-tooth gaps with mini²SKY

mini²SKY MD-Abutment Titanium	mini²SKY MD-Abutment BioXS	mini²SKY uni.fit Abutment	Modelling Sleeve	mini²SKY Scan-Abutment	mini²SKY Prefab Titanium
m2SKYMDT	m2SKYMDB	m2SKYUFA	10 pieces UFCADMOD	m2SKSCIE	m2SKYPFS

Impression abutments, laboratory analogues, gingiva former and screws for mini²SKY

mini²SKY Im-pression Abutment	mini²SKY Implant Analogue	mini²SKY Gingiva Former		mini²SKY Screw	mini²SKY Laboratory Screw	miniSKY 0° parallelization tool
m2SKYPA1	m2SKYXIA	m2SKYGF3	m2SKYGF5	6 pieces m2SKYS22	10 pieces m2SKYL22	mSKYPARA

Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers. This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

Fax Order Sheet

Please enter the order amount in the white field

copaSKY – surgery and prosthetics

copaSKY – short implant



Instrument copaSKY

copaSKY Upgrade Kit REF COPAUPGK



Accessories copaSKY

suitable for both prosthetic lines

copaSKY X-ray template | **copaSKY implant analog**



Abutments F05

BioHPP® copaSKY elegance M Abutment 0° | **copaSKY exso Abutment** | **copaSKY uni.cone Abutment**

Abutments F15

copaSKY uni.cone Abutments | **BioHPP® copaSKY elegance M Abutment 0° F15** | **copaSKY exso Abutment 0° F15**



Individual Abutments F05

copaSKY elegance titanium base ML | **copaSKY titanium base for CEREC®**

Individual Abutments F15

copaSKY elegance titanium base ML F15 | **copaSKY titanium base for CEREC® F15**

Accessories Prosthetics F05

copaSKY gingiva former M 4 mm | copaSKY impression abutment M open tray



Accessories Prosthetics F15

copaSKY gingiva former **M 4 mm F15** | copaSKY gingiva former **M 6 mm F15** | copaSKY impression abutment M F15 open tray

Stamp

Date ..... Signature .....

Illustrations not true to scale. Subject to errors and changes. All prices in € incl. VAT, plus shipping costs, if applicable. Offers cannot be used in combination with existing offers. This order is based on our terms and conditions which can be accessed at http://www.bredent.com/en/bredent/content/terms/

Always keep your patients well informed

Request patient information for our treatments now free of charge. Use it to always keep your patients up to date.



Patient brochures
Smile again
REF 000540GB

Patient brochures
HELBO®
REF 000484GB

Treatments explained simply

Watch our treatments in a video on YouTube. Tell your patients on your website or in the waiting room. Request the videos from marketing-medical@bredent.com.

Late implantation and immediate restoration

Delayed implantation and immediate restoration

Immediate implantation and immediate restoration

SKY fast & fixed - 3D animation

The conventional bridge - and then...

This QR code takes you straight to the videos

Link to the videos
www.youtube.com/bredentgroup

Demonstration model

Request SKY fast & fixed demonstration model and use it to explain the treatment to your patients.

Cross-section model
SKY fast & fixed
with nerve course
REF 590ZMFF1

Cross-section model
SKY fast & fixed
with nerve course, gingiva mask and temporary bridge
REF 590ZMFF3

Patient passport

Request the bredent medical passport and create genuine added value for your patients.
bredent medical offers a lifetime guarantee on SKY Implants with original SKY prosthetic abutments. Moreover, bredent medical ensures that the components required for the preservation and aftercare of any SKY implant will be available over many years.

Patient passport
REF 000514GB





Notes

Other offers that may be of interest



Tissue related implant management
REF 009913GB



Implant prosthetics
REF 009912GB



Immediate restoration
REF 000200GB



Presentation of the system miniSKY
REF 009910GB

BioHPP - The reference
REF 000547GB



BioHPP elegance hybrid abutments
REF 000534GB

HELBO®-Treatment
REF 000429GB

Mistake and subject to change reserved

000250GB-20180410

DENTAL INNOVATIONS
SINCE 1974

bredent group

bredent medical GmbH & Co. KG · Weissenhorner Str. 2 · 89250 Senden · Germany · T: +49 7309 872-441 · F: +49 7309 872-444 · www.bredent-medical.com · @: info-medical@bredent.com